



AS 568番（旧ARP 568番） O型圈规格表1  
（航空器用O型圈油压用）




AS 568番 (旧ARP 568番) 编号称呼	AN6227	AN6230	O型圈尺寸			
	旧JIS 编号称呼 1516	旧JIS 编号称呼 1517	线径d2		内径d1	
1			1.02	±0.07	0.74	±0.10
2			1.27		1.07	
3			1.52		1.42	
4					1.78	±0.12
5					2.57	
6	1				2.9	
7	2				3.68	
8	3				4.47	
9	4				5.28	
10	5				6.07	
11	6				7.65	
12	7				9.25	
13					10.82	
14					12.42	
15					14	
16					15.6	
17					17.17	
18					18.77	
19					20.35	±0.15
20			1.78		21.95	
21					23.52	
22					25.12	
23					26.7	
24					28.3	
25					29.87	
26					31.47	
27					33.05	
28					34.65	
29					37.82	±0.25
30					41	
31					44.17	
32					47.35	
33					50.52	
34					53.7	
35					56.87	
36					60.05	
37					63.22	
38					66.4	±0.38
39					69.57	
40					72.75	
41					75.92	
42					82.27	
43					88.62	

AS 568番（旧ARP 568番） O型圈规格表2  
（航空器用O型圈油压用）




AS 568番 (旧ARP 568番) 编号称呼	AN6227	AN6230	O型圈尺寸			
	旧JIS 编号称呼 1516	旧JIS 编号称呼 1517	线径d2		内径d1	
44			1.78		94.97	±0.38
45					101.32	
46					107.67	
47					114.02	
48					120.37	
49					126.72	
50					133.07	±0.58
102			2.62	±0.07	1.24	±0.12
103					2.06	
104					2.84	
105					3.63	
106					4.42	
107					5.23	
108					6.02	
109					7.59	
110	8				9.19	
111	9				10.77	
112	10				12.37	
113	11				13.94	
114	12				15.54	
115	13				17.12	
116	14		18.72			
117			20.29	±0.15		
118			21.89			
119			23.47			
120			25.07			
121			26.64			
122			28.24			
123			29.82	±0.25		
124			31.42			
125			32.99			
126			34.59			
127			36.17			
128			37.77			
129			39.34	±0.25		
130			40.94			
131			42.52			
132			44.12			
133			45.69			
134			47.29			
135			48.9			
136			50.47			
137			52.07			

AS 568番（旧ARP 568番） O型圈规格表3  
（航空器用O型圈油压用）




AS 568番 (旧ARP 568番) 编号称呼	AN6227	AN6230	O型圈尺寸			
	旧JIS 编号称呼 1516	旧JIS 编号称呼 1517	线径d2		内径d1	
138			2.62	±0.07	53.64	±0.25
139					55.24	
140					56.82	
141					58.42	
142					59.99	
143					61.6	
144					63.17	
145					64.77	
146					66.34	
147					67.94	
148					69.52	
149					71.12	
150					72.69	
151					75.87	
152					82.22	
153					88.57	
154					94.92	
155					101.27	
156					107.62	
157					113.97	
158					120.32	
159					126.67	
160					133.02	
161					139.37	
162					145.72	
163					152.07	
164					158.42	
165					164.77	
166					171.12	
167					177.47	
168					183.82	
169					190.17	
170					196.52	
171					202.87	
172					209.22	
173					215.57	
174					221.92	
175					228.27	
176			234.62			
177			240.97			
178			247.32			
201			3.53	±0.10	4.34	±0.12
202					5.94	

AS 568番（旧ARP 568番） O型圈规格表4  
（航空器用O型圈油压用）




AS 568番 (旧ARP 568番) 编号称呼	AN6227	AN6230	O型圈尺寸			
	旧JIS 编号称呼 1516	旧JIS 编号称呼 1517	线径d2		内径d1	
203			3.53	±0.10	7.52	±0.12
204					9.12	
205					10.69	
206					12.29	
207					13.87	
208					15.47	
209					17.04	±0.15
210	15				18.64	
211	16				20.22	
212	17				21.82	
213	18				23.39	
214	19				24.99	
215	20				26.57	
216	21				28.17	
217	22				29.74	
218	23				31.34	
219	24				32.92	
220	25				34.52	
221	26				36.09	
222	27				37.69	±0.25
223		1			40.87	
224		2			44.04	
225		3			47.22	
226		4			50.39	
227		5	53.57			
228		6	56.74	±0.38		
229		7	59.92			
230		8	63.09			
231		9	66.27			
232		10	69.44			
233		11	72.62			
234		12	75.79			
235		13	78.97			
236		14	82.14			
237		15	85.32			
238		16	88.49			
239		17	91.67			
240		18	94.84			
241		19	98.02			
242		20	101.19			
243		21	104.37			
244		22	107.54			
245		23	110.72			

AS 568番（旧ARP 568番） O型圈规格表5  
（航空器用O型圈油压用）




AS 568番 (旧ARP 568番) 编号称呼	AN6227	AN6230	O型圈尺寸			
	旧JIS 编号称呼 1516	旧JIS 编号称呼 1517	线径d2		内径d1	
246		24	3.53	±0.10	113.89	±0.38
247		25			117.07	
248		26			120.24	
249		27			123.42	
250		28			126.59	
251		29			129.77	
252		30			132.94	±0.58
253		31			136.12	
254		32			139.29	
255		33			142.47	
256		34			145.64	
257		35			148.82	
258		36			151.99	
259		37			158.34	
260		38			164.69	
261		39			171.04	
262		40			177.39	
263		41			183.74	±0.76
264		42			190.09	
265		43			196.44	
266		44			202.79	
267		45			209.14	
268		46			215.49	
269		47			221.84	
270		48			228.19	
271		49			234.54	
272		50			240.89	
273		51	247.24			
274		52	253.59			
275			266.29			
276			278.99			
277			291.69			
278			304.39			
279			329.79			
280			355.19			
281			380.59			
282			405.26	±1.14		
283			430.66			
284			456.06			
309			5.33	±0.12	10.46	±0.12
310					12.06	
311					13.64	
312					15.24	

AS 568番（旧ARP 568番） O型圈规格表6  
（航空器用O型圈油压用）




AS 568番 (旧ARP 568番) 编号称呼	AN6227	AN6230	O型圈尺寸			
	旧JIS 编号称呼 1516	旧JIS 编号称呼 1517	线径d2		内径d1	
313			5.33	±0.12	16.81	±0.12
314					18.42	
315					19.99	
316					21.59	
317					23.16	
318					24.76	
319					26.34	
320					27.94	
321					29.51	
322					31.12	
323					32.69	
324					34.29	
325	28				37.46	
326	29				40.64	
327	30				43.82	
328	31				46.99	
329	32				50.16	
330	33				53.34	
331	34				56.52	
332	35				59.69	
333	36				62.86	
334	37				66.04	
335	38				69.22	
336	39				72.39	
337	40				75.56	
338	41				78.74	
339	42				81.92	
340	43				85.09	
341	44				88.26	
342	45				91.44	
343	46				94.62	
344	47				97.79	
345	48				100.96	
346	49				104.14	
347	50				107.32	
348	51		110.49			
349	52		113.66			
350			116.84			
351			120.02			
352			123.19			
353			126.36			
354			129.54			
355			132.72	±0.58		

AS 568番（旧ARP 568番） O型圈规格表7  
（航空器用O型圈油压用）



AS 568番 (旧ARP 568番) 编号称呼	AN6227	AN6230	O型圈尺寸			
	旧JIS 编号称呼 1516	旧JIS 编号称呼 1517	线径d2		内径d1	
356			5.33	±0.12	135.89	±0.58
357					139.07	
358					142.24	
359					145.42	
360					148.59	
361					151.77	
362					158.12	
363					164.47	
364					170.82	
365					177.17	
366					183.52	±0.76
367					189.87	
368					196.22	
369					202.57	
370					208.92	
371					215.26	
372					221.62	
373					227.96	
374					234.32	
375					240.67	
376					247.02	
377					253.37	
378					266.07	
379					278.77	
380					291.47	
381					304.17	
382					329.57	
383					354.97	
384					380.37	±1.14
385					405.26	
386					430.66	
387					456.06	
388					481.46	
389					506.86	
390					532.26	
391			557.66			
392			582.68	±1.52		
393			608.08			
394			633.48			
395			658.88	±0.38		
425	88		6.98		±0.15	113.66
426	53		116.84			
427	54		120.02			


AS 568番（旧ARP 568番） O型圈规格表8  
（航空器用O型圈油压用）



AS 568番 (旧ARP 568番) 编号称呼	AN6227	AN6230	O型圈尺寸			
	旧JIS 编号称呼 1516	旧JIS 编号称呼 1517	线径d2		内径d1	
428	55		6.98	±0.15	123.19	±0.38
429	56				126.36	
430	57				129.54	±0.58
431	58				132.72	
432	59				135.89	
433	60				139.06	
434	61				142.24	
435	62				145.42	
436	63				148.59	
437	64				151.76	
438	65				158.12	
439	66				164.46	
440	67				170.82	
441	68				177.16	
442	69				183.52	±0.76
443	70				189.86	
444	71				196.22	
445	72				202.56	
446	73				215.26	
447	74				227.96	
448	75				240.66	
449	76				253.36	
450	77				266.06	
451	78				278.76	
452	79				291.46	
453	80				304.16	
454	81				316.86	
455	82				329.56	
456	83				342.26	
457	84				354.96	
458	85				367.66	
459	86				380.36	
460	87				393.06	
461					405.26	±1.14
462					417.96	
463					430.66	
464					443.36	
465					456.06	
466					468.76	
467					481.46	
468					494.16	
469					506.86	
470			532.46			



AS 568番（旧ARP 568番） O型圈规格表9  
（航空器用O型圈油压用）



AS 568番 (旧ARP 568番) 编号称呼	AN6227	AN6230	O型圈尺寸				
	旧JIS 编号称呼 1516	旧JIS 编号称呼 1517	线径d2		内径d1		
472			6.98	±0.15	582.68	±1.52	
473					608.08		
474					633.48		
475					658.88		
901			1.42	±0.07	4.7	±0.12	
902			1.63		6.07		
903					7.64		
904			1.83		8.92		
905					10.52		
906			1.98		11.89		
907			2.08		13.46		
908			2.21		16.36		
909					17.93		
910			2.46		19.18		
911			2.95	±0.10	21.92	±0.15	
912							23.47
913							25.04
914							26.59
916							29.74
918							34.42
920			3	±0.25	37.46		
924						43.69	
928						53.09	
932						59.36	